

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO).	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/615,011		07/08/2003	Daniel Lyle Callahan	200308561-1	8183
22879	7590	06/21/2006		EXAMINER	
HEWLET	T PAC	CKARD COMPAN	DINH, TUAN T		
		3404 E. HARMON	ART UNIT	PAPER NUMBER	
		PROPERTY ADM CO 80527-2400		2841	THE DRIVEN BER
	,			DATE MAILED: 06/21/200	6 .

Please find below and/or attached an Office communication concerning this application or proceeding.

		عر)
	Application No.	Applicant(s)
	10/615,011	CALLAHAN ET AL.
Office Action Summary	Examiner	Art Unit
	Tuan T. Dinh	2841
The MAILING DATE of this communication appeariod for Reply	ppears on the cover sheet wit	h the correspondence address
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory perior Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC .136(a). In no event, however, may a re d will apply and will expire SIX (6) MONT ate, cause the application to become ABA	CATION. ply be timely filed I'HS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 23	March 2006.	
2a)☐ This action is FINAL . 2b)☑ Th	is action is non-final.	
3) Since this application is in condition for allow	ance except for formal matte	ers, prosecution as to the merits is
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.
Disposition of Claims		
 4) Claim(s) 3-22 is/are pending in the application 4a) Of the above claim(s) is/are withdred 5) Claim(s) 20-22 is/are allowed. 6) Claim(s) 3-7,10-17,19 is/are rejected. 7) Claim(s) 8,9 and 18 is/are objected to. 8) Claim(s) are subject to restriction and processing the subject to restriction. 	awn from consideration.	
Application Papers		
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correctable and the specific and the sp	ccepted or b) objected to be e drawing(s) be held in abeyand action is required if the drawing(s	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Bures* * See the attached detailed Office action for a list	nts have been received. Ints have been received in Appointly documents have been and (PCT Rule 17.2(a)).	oplication No received in this National Stage
Attachment(s) 1) \(\sum \) Notice of References Cited (PTO-892) 2) \(\sum \) Notice of Draftsperson's Patent Drawing Review (PTO-948)		⊔mmary (PTO-413) l∕Mail Date
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	_	formal Patent Application (PTO-152)

Art Unit: 2841

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 3-4, 7,10-13, 16, 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beaman et al. (U.S. Patent 5,738,531) in view of Bonnefoy (U.S. Patent 4,611,869).

As to claim 3, 16, 19, Beaman et al. discloses an electronic component system as shown in figures 1-5 comprising:

- a land grid array module (1-figure 4);
- a printed circuit board (10, column 4, line 12) having first and second sides;
- an interposer (3, column 4, line 3) disposed between the module (1) and the first side of the printed circuit board (10);
- a backing/stiffening plate (19-figure 5) spaced from, and disposed on the second side of the printed circuit board (10) opposite the first side;
- a plurality of posts (22) extending through and connecting the module (1), the printed circuit board (10 or 21-figure 5), the interposer (3 or 24-figure 5), and the backing plate (19) relative to each other; and

a spring member (an insulator 23-figure 5 made by a polyimide, see column 4, lines 5-57) disposed between the backing plate (19) and the second side of the printed circuit board (21), and having a first portion (a leg including a crew hole) in secured contact with the backing plate (19) and a second portion (a body of the insulator 23) in unsecured.

Beaman does not disclose the spring member (23) being curved and pressing contact against the second side of the printed circuit board adjacent a center of the printed circuit board.

Bonefoy discloses an apparatus as shown in figures 2-5 comprising a clip (23) having a first portion secured to a printed circuit board (20), and a second portion is unsecured and pressing contact against the second side of the printed circuit board adjacent a center of the printed circuit board (20).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a teaching of Bonefoy employed in the system of Beaman in order to provide an isolation and even pressure of forces applied on the PCB.

As to claim 4, Beaman discloses the second portion (the body) of the spring member (23) comprises a central body portion and the first portion (the leg inclidung the crew hole) of the spring member comprises a plurality of leg members radially extending outward from the central body portion with an end of each leg member including a hole (see figure 5) configured for receiving one of the posts (22) to secure the spring member relative to the backing plate (19).

As to claim 7, Beaman discloses the central body portion defines a body of material formed without holes, see figure 5.

As to claim 10, Beaman discloses the spring member (23) is a single member that provides the substantially all of the compressive clamping force on the system.

As to claims 11-13, Beaman et al. discloses a force distributing mechanism as shown in figures 1-5 comprising:

means for securing (3) a land grid array module (1) and a printed circuit board (10) in electrical communication with each other including introducing a contact force between an array of contact elements of the land grid array module (1) and an array of contact elements of the printed circuit board (10);; and

means for maintaining and distributing (23) the contact force substantially uniformly across the contact array of the land grid array module (1) and the contact array of the printed circuit board (10), the means for maintaining and distributing the contact force being in direct contact with the printed circuit board (10).

wherein the means for securing comprises at least one of:

an interposer (3) disposed between the land grid array module (1) and the printed circuit board (10);

a plurality of load posts (22) extending through each of the land grid array module (1), the printed circuit board (10), the interposer (3), and the means for maintaining and distributing (23) the contact force; and

a stiffening plate (19) disposed on a side of the printed circuit board (10) opposite the interposer (3) and the land grid array module (1), and fixed to the load posts (22) to be spaced from the printed circuit board (10).

Beaman does not disclose the spring member (23) being curved and pressing contact against the second side of the printed circuit board adjacent a center of the printed circuit board.

Bonefoy discloses an apparatus as shown in figures 2-5 comprising a clip (23) having a first portion secured to a printed circuit board (20), and a second portion is unsecured and pressing contact against the second side of the printed circuit board adjacent a center of the printed circuit board (20).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a teaching of Bonefoy employed in the system of Beaman in order to provide an isolation and even pressure of forces applied on the PCB.

3. Claims 15 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beaman (531) in view of Bonefoy ('869), and further in view of Haselby et al. (U.S. Patent 6,299,460).

As to claim 15, Beaman and Bonefoy disclose all of the limitations of the claimed invention except for the means for securing the module comprising: a plurality of load springs carried on the load posts.

Haselby et al. teaches an assembly as shown in figure 1 comprising posts (34) having spring loads (36, 38).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a teaching of Haselby et al. employed in the system of Beaman and Bonefoy in order to reduce force when the posts applied on the assembly.

Page 6

As to claim 17, Beaman and Bonnefoy disclose all of the limitations of the claimed invention except for the means for securing the module comprising: a plurality of load springs carried on the load posts.

Haselby et al. teaches an assembly as shown in figure 1 comprising posts (34) having spring loads (36, 38).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a teaching of Haselby et al. employed in the system of Beaman and Bonnefoy in order to reduce force when the posts applied on the assembly.

4. Claims 5-6, 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beaman ('531) in view of Bonnefoy ('869), and further in view of Shinha et al. (U.S. Patent 6,475,011).

As to claims 5-6, 14, Beaman and Bonnefoy disclose all of the limitations of the claimed invention, except for the legs and the central body portion are configured with a curved shape, and the spring member includes the hole of each leg member having an elongate shape configured to permit limited sliding movement of each leg of the spring member relative to each of the posts.

Shinha shows an apparatus as shown in figures 2-8 comprising a curved spring member (270) having legs (274) and a body (273) configured with a curved shape, and the spring member includes the hole (278) of each leg member having an elongate shape configured to permit limited sliding movement of each leg of the spring member relative to each of the posts.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have a teaching of Shinha employed in the system of Beaman and Bonnefoy in order to provide a strong connection and easy for assembly.

Allowable Subject Matter

5. Claims 8-9, and 18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Neither the references cited nor the cited references do disclose the second portion of the spring member comprises a cured central body portion and wherein the backing plate includes <u>a recessed portion defined in a main body of the backing plate</u> that is configured to receive the first portion ends of the spring member.

6. Claims 20-22 are allowed.

The following is an examiner's statement of reasons for allowance: Neither the references cited nor the cited references do disclose the second portion of the spring member comprises a cured central body portion and wherein the backing plate includes

a recessed portion defined in a main body of the backing plate that is configured to receive the first portion ends of the spring member.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

7. Applicant's arguments with respect to claims 3-22 have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan T. Dinh whose telephone number is 571-272-1929. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kammie Cuneo can be reached on 571-272-1957. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/615,011

Art Unit: 2841

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Page 9

Tuan Dinh

June 05, 2006.